



**Z1000 / 2013**

# Wild at Heart

An instant design classic, the Z1000 has the brute force to underpin its beauty. Avant garde styling joins Supersport handling, braking and performance in one breathtaking package.



Golden Blazed Green  
/ Metallic Spark  
Black



Flat Ebony

**Kawasaki**

# Features

Z1000 / 2013



Engine



Fuel tank



Aggressive Styling



Aluminium Twin-tube Frame



5-spoke cast wheels



Brakes

## More features



Adjustable instrument panel



Horizontal back-link



Fully adjustable front fork



Quad-style muffler

# Accessories

Z1000 / 2013



Pillion seat cover



Gear Position Indicator (red)



Windshield

## More accessories



Tank pad incl. key fob guard



Knee pads



Akrapovic dual exhaust



Front axle protector



Snake skin seat



Protection kit tail



Protection kit front fender

### Engine

Engine type	Liquid-cooled, 4-stroke In-Line Four
Displacement	1,043 cm <sup>3</sup>
Bore x stroke	77.0 x 56.0 mm
Compression ratio	11.8:1
Valve/Induction system	DOHC, 16 valves
Fuel system	Fuel injection: ø38 mm x 4 (Keihin) with oval sub-throttles
Ignition	Digital
Starting	Electric
Lubrication	Forced lubrication, wet sump

### Transmission

Transmission	6-speed, return
Final Drive	Sealed chain
Primary reduction ratio	1.627 (83/51)
Gear ratios: 1st	2.600 (39/15)
Gear ratios: 2nd	1.950 (39/20)
Gear ratios: 3rd	1.600 (24/15)
Gear ratios: 4th	1.389 (25/18)
Gear ratios: 5th	1.238 (26/21)
Gear ratios: 6th	1.136 (25/22)
Final reduction ratio	2.800 (42/15)
Clutch	Wet multi-disc, manual

### Frame

Frame type	Aluminium twin-tube
Rake/Trail	24.5° / 103 mm
Wheel travel, front	120 mm
Wheel travel, rear	135 mm
Tyre, front	120/70ZR17M/C (58W)
Tyre, rear	190/50ZR17M/C (73W)
Steering angle, left / right	31° / 31°

### Suspension

Suspension, front	41 mm inverted fork with stepless compression, rebound damping and spring preload adjustability
Suspension, rear	Horizontal Back-link, gas-charged, with stepless rebound damping and spring preload adjustability

### Brakes

Brakes, front	Dual semi-floating 300 mm petal discs
Brakes, rear	Dual radial-mount, opposed 4-piston Single 250 mm petal disc Single-piston

### Dimensions

Dimensions (L x W x H)	2,095 mm x 805 mm x 1,085 mm
Wheelbase	1,440 mm
Ground Clearance	140 mm
Seat height	815 mm
Fuel capacity	15 litres
Curb Mass	218kg / 221 kg (ABS)

### Performance

Maximum power	101.5 kW {138 PS} / 9,600 rpm
Maximum torque	110 N.m {11.2 kgf-m} / 7,800 rpm